



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/559,095

12/01/2005

Marianne Hofmann

8312-6/05.1113.6

1462

30565

7590

04/21/2008

WOODARD, EMHARDT, MORIARTY, MCNETT & HENRY LLP  
111 MONUMENT CIRCLE, SUITE 3700  
INDIANAPOLIS, IN 46204-5137

EXAMINER

HOEY, ALISSA L

ART UNIT

PAPER NUMBER

3765

MAIL DATE

DELIVERY MODE

04/21/2008

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	<b>Application No.</b> 10/559,095	<b>Applicant(s)</b> HOFMANN, MARIANNE	
	<b>Examiner</b> Alissa L. Hoey	<b>Art Unit</b> 3765	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 01 December 2005.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 22-41 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 22-41 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)            | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)   | Paper No(s)/Mail Date. _____                                      |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>12/01/05</u> .  | 6) <input type="checkbox"/> Other: _____                          |

## DETAILED ACTION

### ***Claim Rejections - 35 USC § 102***

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claims 22-24, 26-29, 32 and 35-41 are rejected under 35 U.S.C. 102(b) as being anticipated by Wood et al. (GB 2 078 491 A).

Wood et al. teaches the following:

22. (New) A hood (1), in particular for a clothing item for protective and military purposes, such as an NBC protective suit, said hood comprising:  
a circumferential (peripheral) elastic hem (5, 5a) to form a face opening, the face opening being provided for receiving a respirator and the hem abutting the respirator in the use state (page 1, lines 67-75), wherein the side of hem that faces into the face opening (5) is provided with a multiplicity of circumferential sealing elements (5a) which are durably conjoined with the hem and are in the form of elastofibers for closeout abutment of the respirator (page 1, lines 67-75).

23. (New) The hood according to claim 22, wherein the sealing elements (5a) abut the respirator essentially linearly (see figures 1 and 2: page 1, lines 67-75).

24. (New) The hood according to claim 22, wherein the sealing elements (5a) project or protrude from the hem (figure 2: page 1, lines 67-75).

26. (New) The hood according to claim 22, wherein the sealing elements (5a) are secured to the hem by one of stitching, interweaving, adhering, stapling or welding.

27. (New) The hood according to claim 22, wherein the sealing elements (5a) are each configured as a sealing ring, as a sealing lip or as a sealing protrusion (page 1, lines 67-75).

28. (New) The hood according to claim 22, wherein the sealing elements (5a) are thread, ligament-, string- or strip- shaped or webbed- or honeycomb-shaped (page 1, lines 67-75).

29. (New) The hood according to claim 22, wherein the individual sealing elements (5a) are in an essentially parallel arrangement (figures 1 and 2).

32. (New) The hood according to claim 22, wherein the elasticity of the sealing elements (5a) corresponds at least essentially to the elasticity of the hem.

35. (New) The hood according to claim 22, wherein the hood (1) including the face opening (5) comprises, on the side portion of face opening, a fastener (8, 9).

36. (New) The hood according to claim 22, wherein the hood (1) is fully or partially lined (7) on its inside surface with an inside material, the inside material comprising a material selected from the group consisting of: (i) an adsorption-capable material on the basis of activated carbon, and (ii) a water-vapor-pervious, but gas-impervious barrier layer preventing or retarding the passage of harmful gases and liquids (page 1, lines 58-65).

37. (New) A clothing item capable of being used for protective and/or military purposes, such as an NBC protective suit or the like, comprising a hood (1) as defined

in claim 22 (page 1, lines 5-10).

38. (New) The clothing item according to claim 37, wherein the clothing item is fully or partially lined (7) on its inside surface with an inside material, the inside material comprising a material selected from the group consisting of: (i) an adsorption-capable material on the basis of activated carbon, and (ii) a water-vapor-pervious, but gas-impervious barrier layer preventing or retarding the passage of harmful gases and liquids (page 1, lines 58-65).

39. (New) A clothing item, in particular for protective and military purposes, such as an NBC protective suit or the like, said clothing item comprising:  
at least one opening (5) for a body part, such as a hand, arm, foot, leg or head, having a circumferential elastic hem (5a) to form this opening, the opening being provided for receiving a further clothing item or an equipment article (column 1, lines 65-75) and the hem abutting the further clothing item or the equipment article in the use state, wherein the side of the hem that faces the further clothing item or the equipment article and faces into the opening is provided with a multiplicity of circumferential sealing elements (5a) which are durably conjoined with the hem and are in the form of elastofibers for closeout abutment of the further clothing item or equipment article (figures 1 and 2: page 1, lines 68-75).

40. (New) A method for closing out the transition between a portion of a clothing item on the one hand and a further clothing item or equipment article on the other hand by using an elastic hem, comprising the step of:  
forming a hem that faces the further clothing item or the equipment article, said

Art Unit: 3765

hem being provided with a multiplicity of circumferential sealing elements which are durably conjoined with the hem and are in the form of elastofibers for closeout abutment of the further clothing item or equipment article (figures 1 and 2 page 1, lines 55-75).

41. (New) The method according to claim 40 for closing out the transition between a hood and a respirator (page 1, lines 68-75).

***Claim Rejections - 35 USC § 103***

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 25, 30, 31, 33 and 34 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wood et al.

Wood et al. teaches a garment as described above in claim 22. However, Wood et al. fails to specifically teach the dimension the sealing elements project from the hem, the sealing elements forming a honeycomb-like construction, the sealing elements thickness in comparison to the hem, the extensibility of the sealing elements and the modulus of elasticity in stretching of the sealing elements.

In regard to claim 25, with respect to the sealing elements projecting or protruding from the hem by not less than 0.25 mm, preferably not less than 0.4 mm.

With respect to the sealing elements projecting from the hem by .4mm and .25mm. The specification contains no disclosure of either the critical nature of the

Art Unit: 3765

claimed dimensions of any unexpected results arising therefrom, and that as such the dimensions are arbitrary and therefore obvious. Such unsupported cannot be a basis for patentability, since where patentability is said to be based upon the particular dimensions or another variable in the claim, the Applicant must show that the .25mm-.4mm protrusion of the sealing element from the hem is critical. *In re Woodruff*, 919 F.2d 1575, 1578, 16 USPQ2d 1934 (Fed. Cir. 1990). One having ordinary skill in the art would be able to determine through routine experimentation the ideal dimension for a particular application.

In regard to claim 30, with respect to the individual sealing elements forming a honeycomb-like construction. Wood teaches the sealing elements being string or strip shaped.

It is noted that as disclosed in the specification and claim 28 as long as the sealing elements are thread, ligament, string or strip shaped or webbed or honeycomb shaped they can provide the sealing structure as required.

In regard to claim 31, with respect to the cross-sectional thickness of the sealing elements being not less than 1/4 of the cross-sectional thickness of the hem. The specification contains no disclosure of either the critical nature of the claimed dimensions of any unexpected results arising therefrom, and that as such the dimensions are arbitrary and therefore obvious. Such unsupported cannot be a basis for patentability, since where patentability is said to be based upon the particular dimensions or another variable in the claim, the Applicant must show that the thickness of the sealing element being not less than 1/4 of the cross-sectional thickness of the

hem. *In re Woodruff*, 919 F.2d 1575, 1578, 16 USPQ2d 1934 (Fed. Cir. 1990). One having ordinary skill in the art would be able to determine through routine experimentation the ideal thickness for the sealing element so that a good seal is achieved between the garment and the respirator.

In regard to claim 33, with respect to the sealing elements having a relative elastic extensibility, based on their original length, of not less than 30 %. The specification contains no disclosure of either the critical nature of the claimed extensibility dimensions of any unexpected results arising therefrom, and that as such the extensibility dimensions are arbitrary and therefore obvious. Such unsupported cannot be a basis for patentability, since where patentability is said to be based upon the particular extensibility dimensions or another variable in the claim, the Applicant must show that the sealing elements having elastic extensibility of not less than 30%. *In re Woodruff*, 919 F.2d 1575, 1578, 16 USPQ2d 1934 (Fed. Cir. 1990). One having ordinary skill in the art would be able to determine through routine experimentation the ideal extensibility for a particular application.

In regard to claim 34, with respect to the material of which the sealing elements consist has, at 25 °C, a modulus of elasticity in stretching in the range of from 5.10<sup>5</sup> N.m<sup>2</sup> to 9.10<sup>6</sup> N.m<sup>2</sup>. The specification contains no disclosure of either the critical nature of the claimed extensibility dimensions of any unexpected results arising therefrom, and that as such the extensibility dimensions are arbitrary and therefore obvious. Such unsupported cannot be a basis for patentability, since where patentability is said to be based upon the particular extensibility dimensions or another variable in



Art Unit: 3765

the claim, the Applicant must show that the sealing elements are made from a material that has a modulus of elasticity from 5.105Nm<sup>2</sup> to 9.10 6 N.m<sup>2</sup>. *In re Woodruff*, 919 F.2d 1575, 1578, 16 USPQ2d 1934 (Fed. Cir. 1990). One having ordinary skill in the art would be able to determine through routine experimentation the ideal modulus of elasticity for the sealing elements to create a good sealing effect.

### **Conclusion**

5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure and can be found cited in PTO-892 submitted herewith.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Alissa L. Hoey whose telephone number is (571) 272-4985. The examiner can normally be reached on M-F (8:00-5:30)Second Friday Off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gary Welch can be reached on (571) 272-4996. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3765

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Alissa L. Hoey/  
Primary Examiner, Art Unit 3765